DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : D – 01 – 2012

Serial No. 1057

Test Booklet Series



TEST BOOKLET

PHARMACY

PAPER - I

Time Allowed: 2 Hours

Maximum Marks: 200

: INSTRUCTIONS TO CANDIDATES :

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING HB PENCIL.
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.



- 4. This Test Booklet contains 100 items (questions). Each item (question) comprises of four responses (answers). You will select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using HB pencil. See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked (darkened) by you in the Answer Sheet. There will be negative markings for wrong answers.

 25 percent of marks allotted to a particular response (answer) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses (answers) to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your Admission Certificate.
- 8. After you have completed filling in all your responses (answers) on the Answer Sheet and the examination has concluded, you should hand over to the Invigilator the Answer Sheet and the Test Booklet issued to you.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

- The Committee appointed by Government of India to look into the drug industry and various aspects of drugs like licensing, price control, imports, role of foreign sector, quality control was headed by:
 - (a) Mudaliar
 - (b) Bhatia
 - (c) Hathi
 - (d) Bhore
- 2. The Poison Act was introduced in the year:
 - (a) 1878
 - (b) 1894
 - (c) 1919
 - (d) 1930
- One of the following is not correct in the main of objectives of Pharmacy Act, 1948 of India:
 - (a) Restoration of pharmacy profession in its due place in the health service
 - (b) Raising the status of pharmacy profession
 - (c) To regulate the practice of pharmacy
 - (d) To have common syllabus of pharmacy throughout India
- Fine for false claim to be a registered pharmacist on first conviction is:
 - (a) Rs. 500

- (b) 6 months imprisonment
- (c) Rs. 1,000
- (d) Both fine and imprisonment
- 5. The main objective of Drugs and Cosmetics Act, 1940 and subsequent amendments is to regulate the import, manufacture, distribution and sale of drugs and cosmetics of allopathy and the following categories except:
 - (a) Ayurveda
 - (b) Siddha
 - (c) Unani Tibb
 - (d) Homoeopathy
- One of the following does not come under the purview of PCI:
 - (a) Education regulations
 - (b) Recognition of foreign qualification
 - (c) Approval of pharmacy institutions and withdrawal of approvals
 - (d) Issuing licenses to pharmacists
- 7. The sale of opium to the State Governments or manufacturing chemists is made by Central Government Opium Factory located at:
 - (a) Ghaziabad
 - (b) Ghazipur
 - (c) Ghorakhpur
 - (d) Goa

BQ - 1A/16

(.1)

(Turn over)

8.	Pharmacy Council of India was	Siddha and Unani drug is required to be
	constituted in which year?	made in :
	(a) 1949	(a) Form 24-D
	(b) 1948	(b) Form 48
	(c) 1947	(c) Form 25-E
	(d) 1950	(d) Form 24-E
9.	All products of parenteral use are listed	13. Drugs to be taken under the medical
	under the following Schedule:	supervision are included under the
	(a) A	following Schedule :
	(b) B	(a) E
	(c) C	(b) G
	(d) D	(c) H
10.	The total number of State Pharmacy	(d) K
	Council members are:	14. The Drugs (Price Control) Order, 1995
		14. The Brugs (Trice Control) Cruci, 1000
	(a) 10 ·	does not take into account one of the
	(a) 10 (b) 15	does not take into account one of the following in fixing the retail price:
		following in fixing the retail price:
	(b) 15	following in fixing the retail price: (a) Material cost and conversion cost
11.	(b) 15 (c) 20 (d) 25	following in fixing the retail price:
11.	(b) 15 (c) 20	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing
11.	(b) 15(c) 20(d) 25The first edition of Indian Pharmacopoeia	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges
11.	(b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in :	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes
11.	 (b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in : (a) 1945 	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes 15. New drugs developed through research
11.	 (b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in : (a) 1945 (b) 1950 	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes
	(b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in : (a) 1945 (b) 1950 (c) 1955 (d) 1960	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes 15. New drugs developed through research are exempted from price control for a period of:
	 (b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in : (a) 1945 (b) 1950 (c) 1955 	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes 15. New drugs developed through research are exempted from price control for a period of: (a) 5 years
12.	(b) 15 (c) 20 (d) 25 The first edition of Indian Pharmacopoeia was out in: (a) 1945 (b) 1950 (c) 1955 (d) 1960 Applications for grant or renewal of license for manufacturing Ayurvedic,	following in fixing the retail price: (a) Material cost and conversion cost (b) Packing material and packing charges (c) Excise duty (d) Local taxes 15. New drugs developed through research are exempted from price control for a period of:

Visit:	https:/	pharmacyindia.co.in

- (c) 15 years
- (d) 20 years
- 16. As per the Shops and Establishment Act young persons (12-18 years) should not be made to work more than one of the following hours per day:
 - (a) 4 hours
 - (b) 6 hours
 - (c) 8 hours
 - (d) 10 hours
- 17. Forms used to send a memorandum to Government Analyst under Schedule A is done in :
 - (a) Form 14-A
 - (b) Form 18 and 18-A
 - (c) Form 15
 - (d) Form 19
- 18. License for retail of drugs specified in Schedule X is given in the following form:
 - (a) 20-A
 - (b) 20-B
 - (c) 20-F
 - (d) 20-G
- 19. The effectiveness of the new drug is confirmed in one of the following phases of clinical trials:
 - (a) Phase I

- (b) Phase II
- (c) Phase III
- (d) Phase IV
- 20. The list of diseases and ailments that a drug should not claim to cure are given in the following schedule of Pharmacy Act, 1940:
 - (a) H
 - (b) J
 - (c) K
 - (d) M
- 21. The Drugs and Magic Remedies Act came into force in :
 - (a) 1953
 - (b) 1954
 - (c) 1955
 - (d) 1956
- 22. Ayurvedic preparations containing less than the following % of self generated alcohol are exempted from excise duty as per the Medicinal and Toilet Preparations (Excise Duties) Act, 1955:
 - (a) 1%
 - (b) 2%
 - (c) 3%
 - (d) 4%

BQ - 1A/16 (3)

⊕pharmacyindia.co.in | **⊚pharmacyindia24@gmail.com** | **€** 8171313561, 8006781759 **Download PHARMACY INDIA** App from Google Play Store

- 23. One of the following is not a member of the IAEC:
 - (a). Biologist
 - (b) Veterinarian
 - (c) Social worker
 - (d) Advocate
- 24. One of the following is not an essential commodity as per the Act 1955:
 - (a) Raw Jute
 - (b) Cotton Textiles
 - (c) Petroleum Products
 - (d) Raw Wool
- 25. Under New Drug Policy, 1994, with National Drug Authority, the Central Government has the responsibility of granting license itself to the following except:
 - (a) Large volume parenterals
 - (b) Sera and vaccines
 - (c) Whole human blood and blood products
 - (d) Small volume parenterals
- 26. As per the Code of Pharmaceutical Ethics a registered pharmacist can not do the following except:
 - (a) Dispense drugs on humanitarian grounds

- (b) Render first acid in emergencies
- (c) Prescribe remedies in emergencies
- (d) Can practice medicine in emergencies
- 27. As per the Shops and Establishment Act pharmacies differ from others in one of the following:
 - (a) Hours of work for employees
 - (b) Cleanliness ventilation and lighting
 - (c) Wages for employees
 - (d) Opening and closing times
- 28. The first National Institute for Pharmacy Education and Research (NIPER) was started at :
 - (a) Banaras
 - (b) Chennai
 - (c) Mohali
 - (d) Chandigarh
- 29. Regarding functions of the Pharmacy Councils in India one of the following is not correct:
 - (a) A State Council takes care of the corresponding State
 - (b) A State Council can serve the need of another State
 - (c) There can be Joint Council to serve the need of both the States
 - (d) The Central Council can also serve the need of a State

BQ – 1A/16 (4) Contd.

30. As per the Medicinal and Toilet Preparations Act, "Bonded Laboratories" means:	(b) Leaf (c) Berries
(a) Excise duty has not been paid(b) Excise duty has been paid	(d) Seeds
(c) Excise duty need not be paid(d) None of the above	35. The following species Rauwolfia is indigenous to West Indies: (a) R. Serpentina
 31. In one of the following alkaloids, the nitrogen atom is secondary amine: (a) Mescaline (b) Ephedrine (c) Atropine (d) d-tuboaurarine 32. Asiaticosides are present as active constituents in: (a) Nuxvomica (b) Opium 	 (b) R. Vomitoria (c) R. Nitida (d) R. Tetraphylla 36. The following are involved as precursors for the biosynthesis of cinchona alkaloids except: (a) Indole (b) Anthanilic acid (c) Tryptophan
(c) Tulsi	(d) Geraniol 37. The active constituents in connegand
 (d) Brahmi 33. Opium is the dried latex obtained by vertical incisions of the following part of papaver somniferum: (a) Ripe capsules (b) Unripe capsules 	37. The active constituents in senna and aloes are Anthracene: (a) Alkaloids (b) Glycosides (c) Polymers (d) Esters
(c) Semiripe capsules (d) All of the above	38. Spanish foxglove is : (a) Digitalis purpurea
34. The alkaloidal content in atropa belladonna is highest in the following part: (a) Root	(a) Digitalis purpurea(b) Digitalis lanata(c) Digitalis lutea(d) Digitalis thapsi
BQ – 1A/16 (§	(Turn over)

(⊕pharmacyindia.co.in | ⊚pharmacyindia24@gmail.com | € 8171313561, 8006781759 **() Download PHARMACY INDIA App from Google Play Store**

Get Latest Pharma Private/ Govt. Job updates | Download B. Phama/ D. Pharma University Exam Papers | Previous Pharmacist/ DI/ GPAT/ NIPER Papers | Pharma News Updates | D. Pharma Notes | Pharmacy College Informations | Pharma Industry Updates

Visit: https:/pharmacyindia.co.in

39.	The botanical name for Tulsi is:	43. The first edition of Pharmacopoeia of
	(a) Thevelia nerifolia	India was published in :
	(b) Tinospora cordifolia	(a) 1936
* V.	(c) Triticum aestivum	(b) 1946
	(d) Oscimum sanctum	(c) 1955
40.	The primary metabolites for alkaloid	(d) 1966
	synthesis in plants are :	44. Hydrolytic Resistance Test is performed
	(a) Carbohydrates	on glass in order to find out:
	(b) Amino acids	(a) Mechanical strength
	(c) Proteins	(b) Quality
	(d) Peptides	(c) Limit of alkalinity liberated by it
41.	A lubricating cream should possess the	(d) Impermeability
		45. The approximate capacity of the capsule
	It should spread easily	accompliant managinar
	/b) it is a suld not be an about along	numbe zero is :
	(b) It should not have good skin	(a) 950 mg
	absorption	
	absorption (c) It should not be sticky in nature	(a) 950 mg
a.	absorption	(a) 950 mg (b) 450 mg
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness	(a) 950 mg (b) 450 mg (c) 300 mg
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness	(a) 950 mg(b) 450 mg(c) 300 mg(d) 100 mg
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness In limulus Amoebocyte Lysate Test the	 (a) 950 mg (b) 450 mg (c) 300 mg (d) 100 mg 46. Schick Test is performed to test the
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness In limulus Amoebocyte Lysate Test the extract from the blood cell of which	 (a) 950 mg (b) 450 mg (c) 300 mg (d) 100 mg 46. Schick Test is performed to test the degree of immunity of an individual
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness In limulus Amoebocyte Lysate Test the extract from the blood cell of which crustacea is used:	 (a) 950 mg (b) 450 mg (c) 300 mg (d) 100 mg 46. Schick Test is performed to test the degree of immunity of an individual against:
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness In limulus Amoebocyte Lysate Test the extract from the blood ce!l of which crustacea is used: (a) Octopus	 (a) 950 mg (b) 450 mg (c) 300 mg (d) 100 mg 46. Schick Test is performed to test the degree of immunity of an individual against: (a) Syphilis
42.	absorption (c) It should not be sticky in nature (d) It should be smooth in nature with less oiliness In limulus Amoebocyte Lysate Test the extract from the blood cell of which crustacea is used: (a) Octopus (b) Horse Shoe Crab	 (a) 950 mg (b) 450 mg (c) 300 mg (d) 100 mg 46. Schick Test is performed to test the degree of immunity of an individual against: (a) Syphilis (b) Tetanus

(⊕pharmacyindia.co.in | ⊚pharmacyindia24@gmail.com | () 8171313561, 8006781759 **Download PHARMACY INDIA App from Google Play Store**

47	How much quantity	of 60% alcohol			m ffman elimination is seen in :
			0.		d-Tubocurosine
	required to make one	e liter of 45% of			Atrocurium
	alcohol?	102			
	(a) 2 liter		÷		Hexamethonium Ether
	(b) 500 ml	6			
	(c) 300 ml		52.		pirin is lipid soluble when the medium
	(d) 750 ml			has	
				(a)	LowpH
48.	Avoid cheese, chocola	ite and red meat		(b)	High pH
j	in patient those who are	e under therapy :		(c)	Both of the above
i	(a) Benzodiazepines			(d)	None of the above
	(b) Phenothizines		53.	Wh	ich drug generally obey zero order
M	(c) MAO inhibitors			kine	etics?
				(a)	Alcohol
	(d) Prednisolone			(b)	Ampicillin
49.	Tr <mark>ansdermal dru</mark> g deliv	very system has		(c)	Atenolol
ŧ	he <mark>followi</mark> ng advantage	es except :		(d)	Adrenalin
(a) Side effects are red	duced	54.	Wh	ich antihistamine is now withdrawn
(b) Patient compliance	e is improved		fron	n market due to its cardic toxicity?
				(a)	Terfenadine
(c). First pass metabolis			(b)	Fexofenadine
(d) Duration of action is	sincreased		(c)	Cetrizine
50. E	Orug which produce m	alignant hyper-		(d)	Loratidine
	hermia is :		55.	Whi	ch bird is generally taken for the bio-
6	a) Diazepam		٠		ay of digitalis?
				(a)	Parrot
(I	b) Halothane			(b)	Pigeon
(6	c) Chloroquine			(c)	Sparrow
(0	d) Phenytoin			(d)	Fowl
DO.	11/16	· ,_,			
DU -	1A/16	(7)			(Turn over)

(Turn over)

(7)

56. Which is not a brand name of amlodipine?

56	. W	nich is not a brand name of amlodipine?	61.	Which is a inhaled corticosteroids?
	(a)	NUMLO		(a) Hydrocortisone
	(b)	ATCOM		(b) Budesonide
	(c)	AMTAS		(c) Prednisolone
	(d)	STAMLO		(d) Dexamethasone
57.	W	nich is a non-BZD newer hypnotics?	62.	Which is not a brand name of Ibuprofen?
	(a)	Zileuton		(a) BRUFEN
	(b)	Zoledronate		(b) SUGAFEN
	(c)	Zolpidem		(c) TABALON
п	(d)	Zolmitriptan		(d) TORVIN
58.	For	treatment of Morphine dependence,	63	The minimum area requirement for store-
	the	drug used is :	03.	room of a 700 beds hospital is:
	(a)	Naloxone		(a) 1000 sq. feet
	(b)	Disulfiram		
	(c)	Methadone		(b) 1600 sq. feet
	(d)	Midazolam National Market Mark		(c) 2400 sq. feet
59.	Wh	ich is a potent mineralocorticoid?		(d) 3600 sq. feet
	(a)	Dexamethasone	64.	For drugs which are given as enteric
	(b)	Fludrocortisone		coated tablet, all the following are true,
	(c)	Prednisolone		except:
	2 2	Hydrocortisone		(a) Drugs which are destroyed in the
60	<i>2</i> 2			acidic medium of the stomach
OU.		Pyrogen Test which animal is taken experiment?		(b) Produce irritation in stomach
	(a)	- 50 DOC 10		(c) Absorption takes place in intestine
				(d) Early action of drug is required
	(b)		65.	Which vaccine is prepared from live
		Rabbit		bacteria ?
	(d)	Hamster		(a) Cholera
BQ.	– 1A	/16 (8)		Contd.
6	∰ph	armacyindia.co.in pharmacyindia	24@	9gmail.com © 8171313561, 800678175

(b) Typhoid

(c) Amoxapine tation (d) Sertaline (d) Sertaline (e) Determination of viscosity (e) Determination of Zeta potent (f) Determination of Zeta potent (g) Pentazocin (h) MORPHINE (g) FENTANYL (h) Buprenorphine (e) FENTANYL (d) Buprenorphine (e) FENTANYL (d) Buprenorphine (e) Fentanyl (f) Cardilox (g) Cardilox (g) Cardilox (h) Calcigard (h) Calcigard (h) Corvadil (h) Efficacy of the drug (h) Chemical structure of the drug (h) Chemical structure of the drug (h) Corvadine (h) Corvadine (h) Corvadine (h) Corvadine (h) Sodium lauryl sulfate (h) Sodium lauryl sulfate (h) Cetyl trimethyl ammonium brown (h) Tragacanth (h) Tragacanth (h) Corvadine (h) Sodium lauryl sulfate (h) Tragacanth) 1.113	(p)		Typhoid	(b)		
66. Which is a tri-cyclic antidepressant? (a) Fluoxetine (b) Paroxetine (c) Amoxapine (d) Sertaline 67. Which is the most potent opioid analgesic? (a) Pentazocin (b) MORPHINE (c) FENTANYL (d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigarid (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) I.213 60. Which is a tri-cyclic antidepressant? 71. Which is not true for evaluation of stations in the prevaluation of station? (a) Determination of viscosity (b) Determination of viscosity (c) Determination of Zeta potent agent (d) Determination of PH and station agent (e) Determination of viscosity (f) Determination of viscosity (d) Determination of viscosity (e) Determination of viscosity (f) Determination of viscosity (g) Determination of viscosity (h) Determination of viscosity (g) Not greater than 5 micron (h) Not greater than 10 micron (g) Not greater tha) 1.313	(c)	*	BCG	(c)		
(a) Fluoxetine (b) Paroxetine (c) Amoxapine (d) Sertaline (d) Sertaline (e) Determination of rate of sed tation (f) Determination of viscosity (g) Determination of Viscosity (g) Determination of Viscosity (g) Determination of PH and state agent (g) Determination of Viscosity (g) Determination of Viscosit) 1.413	(d)		Pertussis	(d)		
(b) Paroxetine (c) Amoxapine (d) Sertaline (d) Sertaline (e) Determination of viscosity (e) Determination of Jeta potents (f) Determination of Jeta potents (g) Pentazocin (h) MORPHINE (h)	/hich is not true for evaluation of suspen-	7.1. Wh	clic antidepressant?	ich is a tri-cy	66. Wh		
(c) Amoxapine tation (d) Sertaline (b) Determination of viscosity (e) Determination of viscosity (f) Determination of viscosity (g) Pentazocin (h) MORPHINE (g) FENTANYL (h) Buprenorphine (g) Which one is the brand name of Nifedipine? (g) Cardilox (h) Calcigard (h) Cardilox (h) Calcigard (h) Corvadil (h) Efficacy of the drug (h) Chemical structure of the drug (h) Corvading to I. P. Syrup has density at 20°C is: (a) 1.213 (b) Determination of viscosity (c) Determination of viscosity (d) Determination of viscosity (e) Determination of viscosity (f) Determination of viscosity (g) Not greater than 10 micron (h) Not grea	ons?	sio		Fluoxetine	(a)		
(d) Sertaline (b) Determination of viscosity 67. Which is the most potent opioid analgesic? (c) Determination of Zeta potent (d) Determination of PH and state agent 72. For a good ophthalmic solution the persed particle should be very fine in the persed particle should be very fin) Determination of rate of sedimen-	(a)		Paroxetine	(b)		
67. Which is the most potent opioid analgesic? (a) Pentazocin (b) MORPHINE (c) FENTANYL (d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about	tation			Amoxapine	(c)		
(a) Pentazocin (b) MORPHINE (c) FENTANYL (d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (d) Determination of pH and state agent 72. For a good ophthalmic solution the persed particle should be very fine in persed particle	Determination of viscosity	(b)		Sertaline	(d)		
(b) MORPHINE (c) FENTANYL (d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (a) Every fine in persed particle should be very fine in the persed particle should be very fine in persed particle should be very fine in persed particle should be very fine in the persed particle should be very fine in persed particle should be very fine in persed particle should be very fine in the persed particle should be very fine in the persed particle should be very fine in persed particle should be very fine in persed particle should be very fine in the persed particle should be very fine in t	Determination of Zeta potential	(c)	potent opioid analgesic?	ich is the most	67. Wh		
(c) FENTANYL (d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 72. For a good ophthalmic solution the persed particle should be very fine in the persed par	Determination of pH and stabilising	(d)		Pentazocin	(a)		
(d) Buprenorphine 68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (a) Not greater than 5 micron (b) Not greater than 10 micron (c) Not greater than 20 micron 73. Which one is a synthetic at emulsifying agent? (a) Benzalkonium (b) Sodium lauryl sulfate (c) Cetyl trimethyl ammonium brown agents of a primary emulsity at peppermint oil the Oil: Water: Gumbe: (a) 4:2:1	agent			MORPHINE	(b)		
68. Which one is the brand name of Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about	or a good ophthalmic solution the dis-	72. Fo		FENTANYL	(c)		
Nifedipine? (a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 69. Bioassay gives the idea about	ersed particle should be very fine in size :	per	ne	Buprenorph	(d)		
(a) Cardilox (b) Calcigard (c) Calaptin (d) Corvadil 73. Which one is a synthetic and emulsifying agent? 89. Bioassay gives the idea about	Not greater than 5 micron	(a)	the brand name of	nich one is	68. WI		
(b) Calcigard (c) Calaptin (d) Corvadil 73. Which one is a synthetic and emulsifying agent? (a) Bioassay gives the idea about	Not greater than 10 micron	(b)		edi <mark>pine ?</mark>	Nif		
(c) Calaptin (d) Corvadil 69. Bioassay gives the idea about of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (b) Sodium lauryl sulfate (c) Cetyl trimethyl ammonium brown and the color of a primary emuls peppermint oil the Oil: Water: Gumbe: (a) 4:2:1 73. Which one is a synthetic and emulsifying agent? (a) Benzalkonium (b) Sodium lauryl sulfate (c) Cetyl trimethyl ammonium brown and primary emuls peppermint oil the Oil: Water: Gumbe: (a) 4:2:1) Not greater than 15 micron	(c)		Cardilox	(a)		
(d) Corvadil 73. Which one is a synthetic and emulsifying agent? (a) Bioassay gives the idea about	l) Not greater than 20 micron	(d)	- 4- 4	Calcigard	(b)		
(d) Corvadil emulsifying agent? (a) Bioassay gives the idea about	/hich one is a synthetic anionic	73 WI		Calaptin	(c)		
69. Bioassay gives the idea about				Corvadil	(d)		
of the test drug. (a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (b) Sodium lauryl sulfate (c) Cetyl trimethyl ammonium broken. (d) Tragacanth 74. For preparation of a primary emuls peppermint oil the Oil: Water: Gumbe: (a) 4:2:1 BQ – 1A/16 (75) (75) (75) (75) (75) (75) (75) (75)			he idea about	assay gives t	69. Bio		
(a) Unit quantity of the drug (b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (c) Cetyl trimethyl ammonium broad (d) Tragacanth 74. For preparation of a primary emuls peppermint oil the Oil: Water: Gum be: (a) 4:2:1 BQ - 1A/16 (79)		3.0		he test drug.	oft		
(b) Efficacy of the drug (c) Safety of the drug (d) Chemical structure of the drug 70. According to I. P. Syrup has density at 20°C is: (a) 1.213 (d) Tragacanth 74. For preparation of a primary emuls peppermint oil the Oil: Water: Gum be: (a) 4:2:1 BQ - 1A/16 (9)			of the drug	Unit quantity	(a)		
(c) Safety of the drug (d) Chemical structure of the drug 74. For preparation of a primary emuls peppermint oil the Oil: Water: Gum be: (a) 1.213 (a) 4:2:1 BQ – 1A/16 (b) (Turn			ne drug	Efficacy of t	(b)		
70. According to I. P. Syrup has density at 20°C is : (a) 1.213 BQ – 1A/16 peppermint oil the Oil : Water : Gum be : (a) 4 : 2 : 1 (Turn			drug	Safety of the	(c)		
70. According to I. P. Syrup has density at 20°C is : (a) 1.213 BQ – 1A/16 (9) (Turn			ructure of the drug	Chemical st	(d)		
20°C is: (a) 1.213 (a) 4:2:1 BQ – 1A/16 (9) (Turn		• 12000	P. Syrup has density at	cording to I. I	70. Ac		
(a) 1.213 BQ – 1A/16 (9) (Turn				PC is :	20		
	n) 4:2:1	(a)		1.213	(a)		
	(Turn over)	9)		A/16	BQ - 1		
	nail.com © 8171313561, 800678175	a24@gma					

Download PHARMACY INDIA App from Google Play Store

	(b)	3:2:1	79	. W	hich phosphodiesterase inhibitor can
	(c)	2:2:1			used in congestive heart failure?
	(d)	1:2:1		(a)	Midazolam
75	lf .			(b)	Mitrinone
73		an object or a solution absorbs <u>blue</u>		(c)	Mivacurium
		ht then the transmitted colour will be:		(d)	Miltefosin
12		Green	80.	W	nich is a atypical antipsychotic drug?
	(b)	Yellow		(a)	-
	(c)	Violet		15 15	Olanzapine
	(d)	Blue			Thioridazine
76	All	are essential components of		(c)	
		orimete except:		(a)	Penfluridol
		Photo cell	81.	Wh	ich is a anabolic steroid?
				(a)	Stanozolol
				(b)	Salmeterol
	(c)	A light source		(c)	Satranidazol
	(d)	Thermometer Thermometer		(d)	Sotalol
7 7.	Ne	phlometer is used to determine :	82.	Epo	oxide intermediates are formed
	(a)	Concentration of Nephron in Kidney			ing metabolism of which drug?
	(b)				Alcohol
	(c)			(b)	Paracetamol
	ν-,	of a suspension			Procaine
	(d)	Concentration of radiation of the		20 1329	Clozapine
	(0)	substance		2. 7	
			83.		bio-assay of Vit. B ₁₂ , the micro-
78 .	Wh	ich is a angiotensin receptor blocker?			anism taken is:
	(a)	Telmisartan		575 16	Lactobacilus leichmannii
	(b)	Terazocin		(b)	Lactobacilus acidophilus
	(c)	Ticlopidine	•	(c)	Lactobacilus plantarum
	(d)	Timolol		(d)	Lactobacilus rhamnosus
RΩ	– 1A				2
		(, , ,		-	Contd.
(⊈	$\mathbb{P}_{\mathbf{h}_{\mathbf{u}}}$	armacyindia.co.in 💿 pharmacyindia	40	<u>grna</u>	<u>II.com (€) 01/1313301, 8000/81/3</u>

	•2		
84.	All drugs excretion is enhanced in		(b) Accumulates in the cellular lipids
	alkaline urine except:	61	(c) Highly protein bound
a	(a) Salicylate		(d) Should be given by oral route only
	(b) Pethidine	90	Which of the following is an example of
	(c) Barbiturate	09.	physiological antagonism?
	(d) Sulfadoxine		
85	Reye's syndrome occurs in children if		
	having viral infection, takes the drug:		(b) Terbutaline in leukotrienes mediated bronchoconstriction
	(a) Aspirin		
1	(b) Paracetamol		(c) Reduction of anticoagulant effect of warfarin in presence of phenobar-
20	(c) Ampicillin	N	bitone
	(d) Ibuprofen		(d) Urinary alkalisers for poisoning due
			to salicylates
86.	Which of the following drug is not given		to sundylates
	by intravenous root?	90.	Microsomal enzymes induction can
	(a) Heparin		result:
W	(b) Nitroglycerine		(a) Tolerance
	(c) Neomycin		(b) Dependence
	(d) Linezolide		(c) Super sensitivity to drug
87.	Which one of the following drug can be		(d) Drug toxicity
	safely given to G-6-PD deficient patient?	91.	Therapeutic drug monitoring is indicated
	(a) Vitamin K (water soluble derivatives)		in:
	(b) Primaquine		(a) Insulin therapy
	(c) Dapsone		(b) Anti hypertensive therapy
	(d) Propranolol		(c) Lithium
00	Mhat is true regarding the highly issued		(d) Oral anticoagulant
00.	What is true regarding the highly ionized drug?		(d) Oral anticoagulant
	(a) Mainly excreted by the kidney	92.	In phase I clinical trial Mr. X was given
	(a) Manny excreted by the Kidney		new drug. The clearance and volume of
BQ	- 1A/16 (11)	(Turn over)

(⊕pharmacyindia.co.in | ⊚pharmacyindia24@gmail.com | € 8171313561, 8006781759 **Download PHARMACY INDIA App from Google Play Store**

distribution in Mr. X is 1.296 L/hr and 75 L respectively. The half life of drug will be:

- (a) 20 hr
- (b) 40 hr
- (c) 80 hr
- (d) 120 hr
- 93. Which of the following drug shows therapeutic window phenomenon?
 - (a) Diazepam
 - (b) Insulin
 - (c) Warfarin
 - (d) Imipramine
- 94. A 8 days old new born is suffering from unconjugated hyperbilirubinaemia, the risk of kernicterus will be increased with the use of the following drug:
 - (a) Sulphonamide
 - (b) Phenobarbitone
 - (c) Amoxycilline
 - (d) Amikacin
- 95. Which of the following statement regarding loading dose is true?
 - (a) Aim is to quickly achieve therapeutic concentration
 - (b) It is done to individualize the therapy
 - (c) It is always single drug administration

- (d) It is governed by clearance and plasma half life
- 96. Regarding the controlled release of dosage form of drug, which of the following statement is not true?
 - (a) Bioavailability of some drug can be improved
 - (b) It can improve patient's compliance
 - (c) Drugs with short half lives are not suitable for making controlled release preparations
 - (d) Dose dumping can lead to drug toxicity
- 97. Which of the following is not an example of targeted drug delivery system?
 - (a) Nano particles
 - (b) Drug eluting stent
 - (c) Pilocarpine ocusert
 - (d) Transdermal system
- 98. Therapeutic index of drug is a indicator of:
 - (a) Safety
 - (b) Potency
 - (c) Efficacy
 - (d) Potency and Efficacy

BQ - 1A/16 (12) Contd.

Get Latest Pharma Private/ Govt. Job updates | Download B. Pharma University Exam Papers | Previous Pharmacist/
DI/ GPAT/ NIPER Papers | Pharma News Updates | D. Pharma Notes | Pharmacy College Informations | Pharma Industry Updates

Visit: https:/pharmacyindia.co.in

- 99. What is not correct regarding the drug allergy?
 - (a) It is immunologically mediated reaction
 - (b) It is because of use of large doses
 - (c) It is also called hypersensitivity
 - (d) It may occur even with use of small doses

- 100. What is the best description for Orphan Drug?
 - (a) Actions are mediated through orphan receptors
 - (b) It has placebo like effects
 - (c) Required to treat or prevent a rare diseases
 - (d) It is always very cheap drug

PHARMACY INDIA

BQ - 1A/16 (325)

(13)

Pharmacy (Paper - I)

(⊕pharmacyindia.co.in | ⊚pharmacyindia24@gmail.com | € 8171313561, 8006781759 **Download PHARMACY INDIA App from Google Play Store**